What is claimed is:

Sub 8

- 1. A method of treating an eye comprising introducing intraocularly a liquid comprising a perfluorocarbon or substituted derivative thereof.
- 2. The method of Claim 1 wherein said liquid is introduced into the vitreous of the eye.

July 2

- 3. The method of Claim 2 which is conducted to substantially replace said vitreous.
- 4. The method of Claim 2 wherein upon the introduction of said liquid said vitreous is withdrawn from the eye.
- 5. The method of Claim 1 wherein said liquid is introduced into the aqueous of the eye.

feb 3

- 6. The method of Claim 5 which is conducted to substantially replace said aqueous.
- 7. The method of Claim 1 wherein said liquid is introduced into the cornea.
- 8. The method of Claim 7 wherein said liquid is substantially introduced in a sufficient amount to form a transparent window in said cornea.
- 9. The method of Claim 1 wherein said liquid is introduced into the lens.

10. The method of Claim 9 wherein said liquid is introduced in a sufficient amount to form a transparent window in said lens.

11. The method of Claim 1 wherein said perfluorocarbon or substituted derivative thereof is in a physical state selected from the group consisting of a neat liquid, an emulsion, a gel, a solution and a suspension.

12. The method of Claim 1 wherein said liquid, is a perfluorocyclocarbon.

13. The method of Claim 12 wherein said perfluoro-cyclocarbon is selected from the group consisting of perfluoro-(methylcyclohexane), perfluoro(1,3-dimethylcyclohexane), perfluoro(decahydronaphthalene), perfluoro(decahydro-1-methyl-naphthalene), perfluoro(decahydrodimethylnaphthalene), perfluoro-dimethyladamantane, perfluorotrimethylbicyclo[3.3.1.]nonane, perfluorotetrahydrodicyclopentadiene, perfluorobicyclo[5.3.0.]-decane and perfluorodimethylbicyclo[3.3.1.]nonane, or mixtures thereof.

14. The method of Claim 1 wherein said liquid, is radiopaque.

15. The method of Claim 14 wherein said substituted derivative is selected from the group consisting of a brominated perfluorocarbon and an indinated perfluorocarbon.

a

a

l:

)c

5

EC /

Per Huore ear ban 16. The method of Claim 14 wherein said liquid is perfluorooctylbromide.

Silver Si

Subab

17. A method of repairing the retina of an eye comprising introducing into the vitreous a liquid comprising a perfluorocarbon or substituted derivative thereof in an amount sufficient to hold the retina against the choroid during said repair.

18. The method of Claim 17 wherein the repair is provided to a detached retina and the detached retina is held against the choroid during the repair.

19. The method of Claim 17 wherein said liquid is removed after said repair.

-30-

Sub at

- 20. A diagnostic method comprising introducing into an eye a radiopaque liquid perfluorocarbon or substituted derivative thereof and detecting the radiopacity of the resultant eye.
- 21. The method of Claim 20 wherein said substituted derivative is selected from the group consisting of a brominated perfluorocarbon and an iodinated perfluorocarbon.
- 22. The method of Claim 20 wherein said liquid is perfluorooctylbromide.

July 2]

ļς

- 23: A method of treating an eye comprising introducing intraocularly a transparent liquid perfluorocarbon or substituted derivative thereof.
- 24! The method of Claim 23 wherein said transparent liquid is a perfluorocyclocarbon.

25. The method of Claim 24 wherein said perfluoro-cyclocarbon is selected from the group consisting of perfluoro-(methylcyclohexane), perfluoro(1,3-dimethylcyclohexane), perfluoro(decahydronaphthalene), perfluoro(decahydro-1-methyl-naphthalene), perfluoro(decahydrodimethylnaphthalene), perfluoro-dimethyladamantane, perfluorotrimethylbicyclo[3.3.1.]nonane, perfluorotetrahydrodicyclopentadiene, perfluorobicyclo[5.3.0.]-decane and perfluorodimethylbicyclo[3.3.1.]nonane, or mixtures thereof.

all a8

6-37 6-37 810W